STATE OF FLORIDA DEPARTMENT OF HEALTH COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT



Facility Information RESULT: Satisfactory

Permit Number: 64-48-00400

Name of Facility: Forest Lake Elementary School

Address: 1600 Doyle Road City, Zip: Deltona 32725

Type: School (more than 9 months) Owner: Volusia County School Board

Person In Charge: Matthynssens, Yvonne Phone: (386) 575-4166

PIC Email:

Inspection Information

Purpose: Routine Number of Risk Factors (Items 1-29): 0 Begin Time: 12:15 PM Inspection Date: 4/9/2024 Number of Repeat Violations (1-57 R): 0 End Time: 01:00 PM

Correct By: None FacilityGrade: N/A Re-Inspection Date: None StopSale: No

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN 1. Demonstration of Knowledge/Training
- 2. Certified Manager/Person in charge present

 EMPLOYEE HEALTH
- IN 3. Knowledge, responsibilities and reporting
- N 4. Proper use of restriction and exclusion
- S. Responding to vomiting & diarrheal events GOOD HYGIENIC PRACTICES
- IN 6. Proper eating, tasting, drinking, or tobacco use
- N 7. No discharge from eyes, nose, and mouth PREVENTING CONTAMINATION BY HANDS
- N 8. Hands clean & properly washed
- No bare hand contact with RTE food
- 10. Handwashing sinks, accessible & supplies APPROVED SOURCE
- IN 11. Food obtained from approved source
- N 12. Food received at proper temperature
- IN 13. Food in good condition, safe, & unadulterated
- NA 14. Shellstock tags & parasite destruction PROTECTION FROM CONTAMINATION
- IN 15. Food separated & protected; Single-use gloves

- IN 16. Food-contact surfaces; cleaned & sanitized
- IN 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- IN 18. Cooking time & temperatures
- IN 19. Reheating procedures for hot holding
- IN 20. Cooling time and temperature
- NO 21. Hot holding temperatures
- N 22. Cold holding temperatures
- IN 23. Date marking and disposition
- NA 24. Time as PHC; procedures & records
 - CONSUMER ADVISORY
- NA 25. Advisory for raw/undercooked food
 - HIGHLY SUSCEPTIBLE POPULATIONS
- N 26. Pasteurized foods used; No prohibited foods
- ADDITIVES AND TOXIC SUBSTANCES
- N 27. Food additives: approved & properly used
- IN 28. Toxic substances identified, stored, & used
 - APPROVED PROCEDURES
- NA 29. Variance/specialized process/HACCP

Inspector Signature:

Run

Client Signature:

Form Number: DH 4023 03/18 64-48-00400 Forest Lake Elementary School

STATE OF FLORIDA DEPARTMENT OF HEALTH COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT



Good Retail Practices

SAFE FOOD AND WATER

- IN 30. Pasteurized eggs used where required
- IN 31. Water & ice from approved source
- NA 32. Variance obtained for special processing

FOOD TEMPERATURE CONTROL

- **IN** 33. Proper cooling methods; adequate equipment
- IN 34. Plant food properly cooked for hot holding
- N 35. Approved thawing methods
- **IN** 36. Thermometers provided & accurate

FOOD IDENTIFICATION

N 37. Food properly labeled; original container

PREVENTION OF FOOD CONTAMINATION

- IN 38. Insects, rodents, & animals not present
- **IN** 39. No Contamination (preparation, storage, display)
- IN 40. Personal cleanliness
- IN 41. Wiping cloths: properly used & stored
- IN 42. Washing fruits & vegetables

PROPER USE OF UTENSILS

- IN 43. In-use utensils: properly stored
- IN 44. Equipment & linens: stored, dried, & handled
- IN 45. Single-use/single-service articles: stored & used

NA 46. Slash resistant/cloth gloves used properly

UTENSILS, EQUIPMENT AND VENDING

- IN 47. Food & non-food contact surfaces
- IN 48. Ware washing: installed, maintained, & used; test strips
- Non-food contact surfaces clean

PHYSICAL FACILITIES

- IN 50. Hot & cold water available; adequate pressure
- IN 51. Plumbing installed; proper backflow devices
- IN 52. Sewage & waste water properly disposed
- IN 53. Toilet facilities: supplied, & cleanedIN 54. Garbage & refuse disposal
- IN 55. Facilities installed, maintained, & clean
- N 56. Ventilation & lighting
- IN 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

No Violation Comments Available

Inspector Signature:

Dur

Client Signature:

Form Number: DH 4023 03/18 64-48-00400 Forest Lake Elementary School

STATE OF FLORIDA DEPARTMENT OF HEALTH COUNTY HEALTH DEPARTMENT FOOD SERVICE INSPECTION REPORT



General Comments

| Walk in friege: milk: 38*F sliced ham: 39*F 3 compartment sink: 100 PPM 2 door freezer: -5*F 2 door salad fridge: lettuces: 40*F Turkey cubed: 39*F. milk cooler: 39*F | No violations at the time of inspection, satisfactory inspection. Lunch had ended. |
|--|--|
| Walk in fridge: milk: 38*F sliced ham: 39*F 3 compartment sink: 100 PPM 2 door freezer: -5*F 2 door salad fridge: lettuces: 40*F Turkey cubed: 39*F. milk cooler: 39*F | Dry Storage:70*F |
| milk: 38*F sliced ham: 39*F 3 compartment sink: 100 PPM 2 door freezer: -5*F 2 door salad fridge: lettuces: 40*F Turkey cubed: 39*F. milk cooler: 39*F | Walk in freezer: 10*F. |
| 2 door salad fridge: lettuces: 40*F Turkey cubed: 39*F. milk cooler: 39*F | |
| 2 door salad fridge: lettuces: 40*F Turkey cubed: 39*F. milk cooler: 39*F | 3 compartment sink: 100 PPM |
| lettuces: 40*F Turkey cubed: 39*F. milk cooler: 39*F | 2 door freezer: -5*F |
| | |
| Email Address(es): ymmatthy@volusia.k12.fl.us | milk cooler: 39*F |
| Email Address(es): ymmatthy@volusia.k12.fl.us | |
| Email Address(es): ymmatthy@volusia.k12.fl.us | |
| | Email Address(es): ymmatthy@volusia.k12.fl.us |

Inspection Conducted By: Debra Rush (29647) Inspector Contact Number: Work: (386) 736-5080 ex.

Print Client Name: Date: 4/9/2024

Inspector Signature:

Client Signature:

Form Number: DH 4023 03/18 64-48-00400 Forest Lake Elementary School